

Ready Emblems

Choose Ready Emblems for fast, high-quality branding solutions with a wide variety of products to meet all your needs!

Ready & ReadyPly

If you're searching for a heat seal emblem for textiles that perfectly represents your company or client's branding, look no further than Ready Emblems. These emblems can be delivered quickly, customized in nearly any shape and color, and even include detailed photographic images.

In addition to our popular Ready emblems, we offer ReadyPly emblems, which feature a convenient self-adhesive layer. This makes pre-positioning on textiles effortless, ensuring precision in applications where accuracy is crucial.

Both Ready and ReadyPly emblems are designed for durability, able to withstand industrial washing while maintaining their quality. They are available for dispatch within just 7 working days after design approval and can be customized in any shape and full color, using the Pantone Matching System for perfect brand alignment.

Ready Plus

Need to cover an old logo on uniforms or overalls? Ready Plus is the perfect solution for refreshing your garments without the cost of replacements. It easily covers nearly any existing heat seal logo or transfer and is available in vibrant, full-color designs. Plus, it is resistant to industrial washing, ensuring long-lasting wear. Ideal for companies updating uniforms with new logos or branding, Ready Plus makes it easy and cost-effective to keep your garments in use.

Ready Stitch

Ready Stitch emblems are specifically designed to be sewn onto textiles, offering a flexible solution without the use of adhesive. This unique feature makes them easy to remove or replace, providing you with the freedom to update your designs effortlessly.

Utilizing advanced digital printing technology, Ready Stitch emblems deliver high-quality images and sharp details. If you prefer an embroidered appearance, our innovative printing techniques can replicate the look of embroidery, including an embroidered edge. Plus, these emblems are robust enough to withstand the rigors of industrial cleaning.

Available in every color and certified by Oeko-Tex, Ready Stitch emblems are the ideal choice for businesses looking for durable and customizable options for their uniforms and apparel. Enjoy the perfect blend of style, versatility, and reliability with Ready Stitch emblems.

Ready FR & ReadyPly FR

Specially developed by Thermopatch, Ready FR and ReadyPly FR emblems are heat-resistant and ideal for application on flame-retardant workwear. ReadyPly FR features a self-adhesive layer for easier positioning and both options are customizable in nearly any shape or color, fully compliant with EN 469 standards. For more information, click [here](#).

Ready				
ReadyPly				

For more detailed press instructions for Ready and ReadyPly on various fabrics, click [here](#).



Ready Plus					
-------------------	---	---	---	---	---

For more detailed press instructions for Ready Plus on various fabrics, click [here](#).

Ready Stitch			
---------------------	---	---	---

Scroll down for more Ready products.

Ready and Ready FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)

Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	-	-	-

ReadyPly and ReadyPly FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)

Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	-	-	-
Polyester 100% (with DWR finish)*	-	-	-
Polyester Cleanroom material anti-static 99%/1%	-	-	-

Ready Plus emblems (especially for covering, up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	-	-	-

Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	195 - 204	18	4.5 (Medium/High)
Cotton/polyamide 55%/45%	195 - 204	18	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195 - 204	18	4-6 (Medium/High)
Aramid/Viscose 50%/50%	195 - 204	18	4.5 (Medium/High)
Linen, 100%	195	18	4.5 (Medium/High)
Aramid (Nomex III), 100%	195 - 204	18	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	195 - 204	18	4.5 (Medium/High)

**DWR finish: Durable Water Repellent finish, meaning a water (dirt, oil) repellent coating on textiles based on silicone, nanotechnology, wax, and fluorocarbon.*

FR: Flame Retardant

Disclaimer

No rights can be derived from the instructions or data provided online. The information is intended for general guidance only and is subject to change without notice. We do not guarantee the accuracy, completeness, or reliability of the information provided. Users are advised to verify any information before acting on it. We accept no liability for any damage incurred because of relying on this information.