

Ready emblémák

Válassza a Ready emblémákat a gyors, kiváló minőségű márkajelzési megoldásokhoz, széles termékválasztékkal, hogy minden igényt kielégítsen!

Ready és ReadyPly

Ha olyan hőpréselhető emblémát keres textíliákhoz, amely tökéletesen képviseli vállalata vagy ügyfele márkáját, ne keressen tovább a Ready emblémáknál. Ezek az emblémák rövid gyártási határidővel, szinte bármilyen formában és színben testre szabhatók, sőt részletes fénykép minőségű képfájlok megjelenítésére is alkalmasak.

A népszerű Ready emblémáink mellett ReadyPly emblémákat is kínálunk, amelyek praktikus öntapadó réteggel rendelkeznek. Ez megkönnyíti a textíliákon való előzetes elhelyezést, biztosítva a pontosságot azokban az esetekben, ahol a pozícionálás kulcsfontosságú.

Mind a Ready, mind a ReadyPly emblémák tartósra lettek tervezve, ellenállnak az ipari mosásnak, miközben megőrzik minőségüket. A látványtervtől jóváhagyásáig követően mindössze 7 munkanapon belül szállíthatók, és bármilyen formában és színben testre-szabhatók, a Pantone Matching System segítségével a tökéletes arculati-megjelenés érdekében.

Ready Plus

El kell takarnia egy régi logót az egyenruhákon vagy overallokon? A Ready Plus a tökéletes megoldás ruházata felfrissítésére anélkül, hogy azokat cserélnie kellene. Könnyen lefedi szinte bármilyen meglévő hőfóliás logót vagy transzfert, és élénk, full-colour kivitelben kapható. Ráadásul ellenáll az ipari mosásnak, így tartós minőséget biztosít. Ideális azoknak a vállalatoknak, amelyek új logókkal vagy márkajelzéssel frissítik egyenruháikat, a Ready Plus egyszerűvé és költséghatékonyá teszi a ruházat használatban tartását.

Ready Stitch

A Ready Stitch emblémák kifejezetten textíliákra varrásra lettek tervezve, rugalmas megoldást kínálva ragasztó használata nélkül. Ez az egyedülálló tulajdonság megkönnyíti eltávolításukat vagy cseréjüket, így Ön szabadon frissítheti dizájnját.

A fejlett digitális nyomtatási technológiát alkalmazó Ready Stitch emblémák kiváló minőségű képeket és éles részleteket biztosítanak. Ha inkább a hímzett megjelenést kedveli, innovatív nyomtatási technikáink képesek reprodukálni a hímzés megjelenését, beleértve a hímzett keretet is. Ráadásul ezek az emblémák elég robusztusak ahhoz, hogy ellenálljanak az ipari tisztítás viszontagságainak.

Minden színben kapható és Oeko-Tex tanúsítvánnyal rendelkező Ready Stitch emblémák ideális választás azoknak a vállalkozásoknak, amelyek tartós és testreszabható lehetőségeket keresnek egyenruhájukhoz és ruházatukhoz. Élvezze a stílus, a sokoldalúság és a megbízhatóság tökéletes keverékét a Ready Stitch emblémákkal.

Ready FR és ReadyPly FR

A Thermopatch által kifejlesztett Ready FR és ReadyPly FR emblémák hőállóak, és ideálisak lángálló

munkaruházatra való felhordásra. A ReadyPly FR öntapadó réteggel rendelkezik a könnyebb elhelyezés érdekében, és mindkét opció szinte bármilyen formában vagy színben testreszabható, teljes mértékben megfelel az EN 469 szabványnak. További információért kattintson [ide](#).

Ready				
ReadyPly				

For more detailed sealing instructions for Ready and ReadyPly on various fabrics, click [here](#).



Ready Plus					
-------------------	---	---	---	---	---

For more detailed sealing instructions for Ready Plus on various fabrics, click [here](#).

Ready Stitch			
---------------------	---	---	---

Scroll down for more Ready products.

Ready and Ready FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-

Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 – 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	-	-	-

ReadyPly and ReadyPly FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 – 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 – 195	15	4-6 (Medium/High)

Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	–	–	–
Polyester 100% (with DWR finish)*	–	–	–
Polyester Cleanroom material anti-static 99%/1%	–	–	–

Ready Plus emblems (especially for covering, up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	–	–	–
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	–	–	–
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	–	–	–

Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	-	-	-
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	195 - 204	18	4.5 (Medium/High)
Cotton/polyamide 55%/45%	195 - 204	18	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195 - 204	18	4-6 (Medium/High)
Aramid/Viscose 50%/50%	195 - 204	18	4.5 (Medium/High)
Linen, 100%	195	18	4.5 (Medium/High)
Aramid (Nomex III), 100%	195 - 204	18	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	195 - 204	18	4.5 (Medium/High)

**DWR finish: Durable Water Repellent finish, meaning a water (dirt, oil) repellent coating on textiles based on silicone, nanotechnology, wax, and fluorocarbon.*

FR: Flame Retardant

Disclaimer

No rights can be derived from the instructions or data provided online. The information is intended for general guidance only and is subject to change without notice. We do not guarantee the accuracy, completeness, or reliability of the information provided. Users are advised to verify any information before acting on it. We accept no liability for any damage incurred because of relying on this

information.