

Ready Emblemen

Kies Ready emblems voor snelle, hoogwaardige brandingoplossingen met een breed scala aan producten om aan al uw behoeften te voldoen.

Ready & ReadyPly

Als u op zoek bent naar een hittebestendig embleem voor textiel dat perfect het logo van uw bedrijf of cliënt vertegenwoordigt, zoek dan niet verder dan Ready emblems. Deze emblemen kunnen snel worden geleverd, zijn op maat te maken in vrijwel elke vorm en kleur en kunnen zelfs gedetailleerde fotografische afbeeldingen bevatten.

Naast onze populaire Ready emblemen, bieden we ook ReadyPly emblemen aan, die voorzien zijn van een handige zelfklevende laag. Dit maakt het vooraf positioneren op textiel moeiteloos en zorgt voor precisie in toepassingen waar nauwkeurigheid cruciaal is.

Zowel Ready als ReadyPly emblemen zijn ontworpen voor duurzaamheid, bestand tegen industrieel wassen en behouden hun kwaliteit. Ze zijn beschikbaar voor verzending binnen slechts 7 werkdagen na goedkeuring van het ontwerp en kunnen in elke vorm en volledige kleur worden aangepast, waarbij het Pantone Matching System wordt gebruikt voor perfecte merkastemming.

Ready Plus

Moet u een oud logo op uniformen of overalls bedekken? Ready Plus is de perfecte oplossing om uw kleding op te frissen zonder de kosten van vervanging. Het bedekt eenvoudig vrijwel elk bestaand hittebestendig logo of transfer en is beschikbaar in levendige, full-color ontwerpen. Bovendien is het bestand tegen industrieel wassen, wat zorgt voor langdurige duurzaamheid. Ideaal voor bedrijven die hun uniformen bijwerken met nieuwe logo's of branding, maakt Ready Plus het gemakkelijk en kosteneffectief om uw kleding in gebruik te houden.

Ready Stitch

Ready Stitch emblemen zijn speciaal ontworpen om op textiel genaaid te worden, wat een flexibele oplossing biedt zonder gebruik van lijm. Deze unieke eigenschap maakt ze gemakkelijk te verwijderen of te vervangen, waardoor u de vrijheid heeft om uw ontwerpen moeiteloos bij te werken. Dankzij geavanceerde digitale printtechnologie leveren Ready Stitch-emblemen hoogwaardige afbeeldingen en scherpe details. Als u de voorkeur geeft aan een geborduurde uitstraling, kunnen onze innovatieve printtechnieken het uiterlijk van borduurwerk nabootsen, inclusief een geborduurde rand. Bovendien zijn deze emblemen sterk genoeg om bestand te zijn tegen de intensiteit van industrieel reinigen.

Beschikbaar in elke kleur en gecertificeerd door Oeko-Tex, zijn Ready Stitch emblemen de ideale keuze voor bedrijven die op zoek zijn naar duurzame en aanpasbare opties voor hun uniformen en kleding. Geniet van de perfecte combinatie van stijl, veelzijdigheid en betrouwbaarheid met Ready Stitch emblemen.

Ready FR & ReadyPly FR

Speciaal ontwikkeld door Thermopatch, zijn Ready FR en ReadyPly FR-emblemen hittebestendig en

ideaal voor toepassing op vlamvertragende werkkleding. ReadyPly FR beschikt over een zelfklevende laag voor eenvoudigere positionering en beide opties kunnen in vrijwel elke vorm of kleur worden aangepast, volledig in overeenstemming met de EN 469-normen. Voor meer informatie, klik [hier](#).

Ready				
ReadyPly				

For more detailed press instructions for Ready and ReadyPly on various fabrics, click [here](#).



Ready Plus					
-------------------	--	--	--	--	--

For more detailed press instructions for Ready Plus on various fabrics, click [here](#).

Ready Stitch			
---------------------	--	--	--

Scroll down for more Ready products.

Ready and Ready FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-

Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	-	-	-

ReadyPly and ReadyPly FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)

Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	-	-	-
Polyester 100% (with DWR finish)*	-	-	-
Polyester Cleanroom material anti-static 99%/1%	-	-	-

Ready Plus emblems (especially for covering, up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-

Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	-	-	-
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	195 - 204	18	4.5 (Medium/High)
Cotton/polyamide 55%/45%	195 - 204	18	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195 - 204	18	4-6 (Medium/High)
Aramid/Viscose 50%/50%	195 - 204	18	4.5 (Medium/High)
Linen, 100%	195	18	4.5 (Medium/High)
Aramid (Nomex III), 100%	195 - 204	18	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	195 - 204	18	4.5 (Medium/High)

**DWR finish: Durable Water Repellent finish, meaning a water (dirt, oil) repellent coating on textiles based on silicone, nanotechnology, wax, and fluorocarbon.*

FR: Flame Retardant

Disclaimer

No rights can be derived from the instructions or data provided online. The information is intended for general guidance only and is subject to change without notice. We do not guarantee the accuracy, completeness, or reliability of the information provided. Users are advised to verify any information before acting on it. We accept no liability for any damage incurred because of relying on this

information.