

Emblematy Ready

Wybierając emblematy Ready uzyskasz szybkie, wysokiej jakości rozwiązanie brandingowe z szeroką gamą produktów odpowiadających na wszystkie Twoje potrzeby!

Ready & ReadyPly

Jeśli potrzebujesz emblematu do zgrzewania idealnie odzwierciedlającego markę Twojej firmy lub brand klienta, nasze emblematy Ready są tym, czego szukasz. Emblematy mogą być gotowe w krótkim czasie, dostosowane do niemal dowolnego kształtu i koloru, a nawet zawierać szczegółowe obrazy fotograficzne.

Oprócz popularnych emblematów Ready oferujemy ReadyPly, które posiadają wygodną samoprzylepną warstwę. Ułatwia to wstępne pozycjonowanie na tkaninach, kiedy precyzyjna lokalizacja jest kluczowa.

Zarówno emblematy Ready, jak i ReadyPly, zostały opracowane z myślą o trwałości — są odporne na pranie przemysłowe przy zachowaniu jakości. Są gotowe do wysyłki w ciągu zaledwie 7 dni roboczych od zatwierdzenia projektu. Można je wykonać w dowolnym kształcie i kolorze, korzystając z systemu Pantone Matching System w celu idealnego dopasowania do palety brandu.

Ready Plus

Potrzebujesz zakryć stare logo na odzieży firmowej lub kombinezonach? Ready Plus to doskonałe rozwiązanie pozwalające odświeżyć odzież i zaoszczędzić na jej wymianie. Łatwo zakryje niemal każde zgrzane logo lub transfer i jest dostępne w żywych, pełnych kolorach. Ponadto emblematy te są odporne na pranie przemysłowe, zapewniając długotrwałe użytkowanie. Idealne dla firm zmieniających logo lub branding uniformów. Ready Plus daje nowe życie ubraniom i obniża koszty.

Ready Stitch

Emblematy Ready Stitch są przeznaczone do przyszywania na materiałach bez użycia kleju. Dzięki temu są łatwe do odprucia i wymiany oraz pozwalają płynnie aktualizować design.

Dzięki technice druku cyfrowego emblematy Ready Stitch cechują się wysoką jakością i niezwykle wyrazistością detalu. Innowacyjna technika druku pozwala nawet wydrukować imitację haftu i obszywanego brzegu. Emblematy są przy tym odporne na intensywne pranie przemysłowe.

Ready Stitch są dostępne w dowolnym kolorze i mają certyfikat Oeko-Tex. To idealny wybór dla firm poszukujących łatwych i szybko wymiennych emblematów do uniformów i odzieży. Pozwalają cieszyć się doskonałym połączeniem stylu, wszechstronności i niezawodności.

Ready FR & ReadyPly FR

Specjalnie opracowane przez Thermopatch emblematy Ready FR i ReadyPly FR są odporne na wysoką temperaturę i idealnie nadają się do stosowania na trudnopalnej odzieży roboczej. Materiał ReadyPly FR ma warstwę samoprzylepną ułatwiającą pozycjonowanie. Ready FR i ReadyPly FR dostępne są w niemal każdym kształcie i kolorze oraz spełniają wymagania normy EN 469. Aby uzyskać więcej informacji, kliknij [tutaj](#).

Ready	12 seconds	185-204 °C	Pressure 0.5 kg / cm ²	95
ReadyPly	14 seconds	185-204 °C	Pressure 0.5 kg / cm ²	95

For more detailed press instructions for Ready and ReadyPly on various fabrics, click [here](#).



Ready Plus	20-18 seconds	195-204 °C	Pressure 0.5 kg / cm ²	95	OEKO TEX STANDARD 100 1012046 Centexbel
-------------------	---------------	------------	-----------------------------------	----	---

For more detailed press instructions for Ready Plus on various fabrics, click [here](#).

Ready Stitch		95	OEKO TEX STANDARD 100 1012046 Centexbel
---------------------	--	----	---

Scroll down for more Ready products.

Ready and Ready FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)

Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester 100% (with DWR finish)*	185	15	4-6 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	-	-	-

ReadyPly and ReadyPly FR emblems (up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	185 - 195	15	4-5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	185 - 195	15	4-6 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 195	10 15	4-6 (Medium/High)

Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195	15	4-6 (Medium/High)
Aramid/Viscose 50%/50%	185	15	4-6 (Medium/High)
Linen, 100%	195	15	4-6 (Medium/High)
Aramid (Nomex III), 100%	185	15	4-6 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	-	-	-
Polyester 100% (with DWR finish)*	-	-	-
Polyester Cleanroom material anti-static 99%/1%	-	-	-

Ready Plus emblems (especially for covering, up to 95 °C laundry wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	-	-	-
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	-	-	-
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	-	-	-
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	-	-	-

Knitted fabrics, cotton or polyester with elastane 98%/2%	-	-	-
Flame-retardant cotton or polyester cotton (FR treated, Proban®)	195 - 204	18	4.5 (Medium/High)
Cotton/polyamide 55%/45%	195 - 204	18	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	195 - 204	18	4-6 (Medium/High)
Aramid/Viscose 50%/50%	195 - 204	18	4.5 (Medium/High)
Linen, 100%	195	18	4.5 (Medium/High)
Aramid (Nomex III), 100%	195 - 204	18	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	195 - 204	18	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	195 - 204	18	4.5 (Medium/High)

**DWR finish: Durable Water Repellent finish, meaning a water (dirt, oil) repellent coating on textiles based on silicone, nanotechnology, wax, and fluorocarbon.*

FR: Flame Retardant

Disclaimer

No rights can be derived from the instructions or data provided online. The information is intended for general guidance only and is subject to change without notice. We do not guarantee the accuracy, completeness, or reliability of the information provided. Users are advised to verify any information before acting on it. We accept no liability for any damage incurred because of relying on this information.