

Dokuma Amblemler

Dokuma amblemler, Thermopatch'in geniş ürün yelpazesi içinde dikkat çeken bir üründür. Farklı şekillerde mevcut olan bu amblemler, lazer kesim teknolojisi ve yükseltilmiş, işlemeli kenarlık sayesinde güzel bir "görünüm ve hisse" sahiptir. Ayrıca bu amblem hem esnek hem de dayanıklıdır.

Bu tür amblemlerin renk paleti en az 470 renk içerir. Tasarım başına 8 farklı renge kadar resim mümkündür. Sonuç, keskin detaylara ve yüksek kaliteli görünüme sahip bir üründür.

Dokuma amblemler iki tip yapıştırıcı ile mevcuttur: yüksek veya düşük işleme sıcaklığı için.

Woven emblems (low temperature)			
   			
Woven emblems (high temperature)			
   			
Woven emblems (LOW temp, up to 40 °C home wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	140	15	4.5 (Medium/High)
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	140 Repress	15 15	4.5 (Medium/High)
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	140	15	4.5 (Medium/High)
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	140	15	4.5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	Preheat 140	10 15	4.5 (Medium/High)

Flame-retardant cotton or polyester cotton (FR treated, Proban®)	Preheat 140	10 15	4.5 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 140	10 15	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	140	15	4.5 (Medium/High)
Aramide/Viscose 50%/50%	140	15	4.5 (Medium/High)
Linen, 100%	140	15	4.5 (Medium/High)
Aramid (Nomex III), 100%	140	15	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	Preheat 140	10 15	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	Preheat 140	10 15	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	Preheat 140	10 15	4.5 (Medium/High)

Woven emblems (HIGH temp, up to tot 60 °C home wash)			
Type of fabric	Temp. °C	Pressing time in sec.	Pressure in Bar Low/Medium/High
Fleece, 100% Polyester	160	15	4.5 (Medium/High)
Polyurethane or PVC coated polyester (rainwear), cover with baking paper	160 Repress	15	4.5 (Medium/High)
Knitted fabrics, 100% polyester, viscose, acrylic (Sportswear, light workwear)	160 Repress	15	4.5 (Medium/High)
Knitted fabrics, 100% wool, cotton (Sportswear, light workwear)	160 Repress	15	4.5 (Medium/High)
Knitted fabrics, cotton or polyester with elastane 98%/2%	160 Repress	15	4.5 (Medium/High)

Flame-retardant cotton or polyester cotton (FR treated, Proban®)	160	15	4.5 (Medium/High)
Cotton/polyamide 55%/45%	Preheat 160	10 15	4.5 (Medium/High)
Cotton/polyester 65%/35% or 60%/40% (with DWR finish)*	160	15	4.5 (Medium/High)
Aramid/Viscose 50%/50%	160	15	4.5 (Medium/High)
Linen, 100%	160	15	4.5 (Medium/High)
Aramid (Nomex III), 100%	160	15	4.5 (Medium/High)
Polyamide (Nylon), 100% (with DWR finish)*	Preheat 160	10 15	4.5 (Medium/High)
Polyester 100% (with DWR finish)*	Preheat 160	10 15	4.5 (Medium/High)
Polyester Cleanroom material anti-static 99%/1%	Preheat 160	10 15	4.5 (Medium/High)